



[Visit product page](#)



FOS PAR 18X15WPRO RGBWA

L004898

Professional high quality aluminium led par with powercon input and output. Beam aperture: 30°, 18 RGBW + Amber 15w LEDs (5in1) Dimmer: 0-100% stop/strobe effect, noiseless cooling system.

TECHNICAL DETAILS

Light Source/Optics

18 RGBWÁ 15w LEDs (5in1)
Average lifespan: 50000 Hours
Beam aperture: 30°
Noiseless cooling system

Effects

RGBW dimming/fade.
RGBW color mixing
Auto programs with speed adjustment
Preset colors
Dimmer: 0-100% linear dimming
Adjustable speed stop/strobe effect (1-10 flash/sec)

Control

Control modes: DMX 512 (5 - 11 DMX channels), sound activated, auto mode
Stand-alone mode and Master/Slave modes
Data in/out: 3 pin XLR and 5 pin XLR

Installation/Dimension Details

Yoke system, which act as a floor stand
Operating positions: all (device on floor or fixed to a support).
Maximum permitted ambient temperature (Ta max): 45°C (113°F). Minimum permitted ambient temperature authorized (Ta min): -10°C (14°F).
Suitable only for entertainment and not achitectural lighting applications.
Voltage: 90 to 240 Volts – 50/60Hz
Power consumption: 220 Watt
Powercon input and output
Dimensions: 13 x 10 x 23 cm
Weight: 4kg

Packing Details

Carton box for 1 pc: 28 x 27 x 20 cm - 5 kg
Carton box for 4 pcs: 56 x 30 x 43 - 21 kg

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS Case 8in1 PAR PRO
Flight case with wheels for 8pcs Pro series and T



FOS SUPER CLAMP 200
BLACK
Professional clamp for fixtures lifting weight 200



FOS SUPER CLAMP 200
Professional clamp for fixtures lifting weight 200



FC-PDC-3
Professional PowerCon / DMX cable 3 meter,

